



**Material:**

- The steel meets or exceeds the physical properties of ASTM A1011 GR 33, except with SS4, SS6 & AL finishes.

**Finishes:**

- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Hot Dip Galvanized (HD):** Conforms to ASTM A123 or A153
- **Perma-Gold (GD):** Conforms to ASTM B633, Type II SC1
- **Stainless Steel, Type 304 (SS4):** ASTM A240, Type 304 \*
- **Stainless Steel, Type 316 (SS6):** ASTM A240, Type 316 \*
- **Aluminum (AL):** TBD

Material / Finish	Part Number Suffix	Pipe Clamp Material / Finish	Fasteners (Screw & Nut) Material / Finish	Example
Electro-galvanized	EG	EG	EG	UNVA 1/2 EG
Hot-dipped galvanized	HD	HD	SS4	UNVA 1/2 HD
Stainless Steel Type 304	SS4	SS4	SS4	UNVA 1/2 SS4
Stainless Steel Type 316	SS6	SS6	SS6	UNVA 1/2 SS6
Aluminum	AL	AL	AL	UNVA 1/2 AL

Part No.	Conduit Size	Ga. (Thickness)	Finish	Product Weight / Piece (lbs)
UNVA 1"	1" (25)	16 (1.5)	EG	0.11
UNVA 1"	1" (25)	16 (1.5)	EG	0.126
UNVA 1"	1" (25)	16 (1.5)	HD	0.12
UNVA 1"	1" (25)	16 (1.5)	GD	0.12
UNVA 1/2"	1/2" (13)	16 (1.5)	EG	0.1
UNVA 1/2"	1/2" (13)	16 (1.5)	EG	0.1
UNVA 1/2"	1/2" (13)	16 (1.5)	HD	0.1
UNVA 1/2"	1/2" (13)	16 (1.5)	GD	0.1
UNVA 1-1/2"	1-1/2" (38)	14 (1.9)	EG	0.19
UNVA 1-1/2"	1-1/2" (38)	14 (1.9)	EG	0.2
UNVA 1-1/2"	1-1/2" (38)	14 (1.9)	HD	0.21
UNVA 1-1/2"	1-1/2" (38)	14 (1.9)	GD	0.2
UNVA 1-1/4"	1-1/4" (32)	14 (1.9)	EG	0.18
UNVA 1-1/4"	1-1/4" (32)	14 (1.9)	EG	0.18
UNVA 1-1/4"	1-1/4" (32)	14 (1.9)	HD	0.19
UNVA 1-1/4"	1-1/4" (32)	14 (1.9)	GD	0.18
UNVA 2"	2" (51)	14 (1.9)	EG	0.22
UNVA 2"	2" (51)	14 (1.9)	EG	0.22
UNVA 2"	2" (51)	14 (1.9)	HD	0.24
UNVA 2"	2" (51)	14 (1.9)	GD	0.22
UNVA 3/4"	3/4" (19)	16 (1.5)	EG	0.116
UNVA 3/4"	3/4" (19)	16 (1.5)	EG	0.1
UNVA 3/4"	3/4" (19)	16 (1.5)	HD	0.1
UNVA 3/4"	3/4" (19)	16 (1.5)	GD	0.11
UNVA 3/4"	3/4" (19)	16 (1.5)	SS4	0.11

